Monatshefte für Chemie Chemical Monthly

Vol. 124, 1993

ISSN 0026-9247





Monatshefte für Chemie Chemical Monthly

Österreichische Akademie der Wissenschaften Mathematisch-Naturwissenschaftliche Klasse und Gesellschaft Österreichischer Chemiker

Editorial Board

H. Falk, Linz

E. Hengge, Graz

A. Neckel, Wien

K. Schlögl, Wien (Managing Editor)

P. Schuster, Wien

H. Tuppy, Wien

Regional Editors

H. Brunner, Regensburg

H.-H. Emons, Freiberg

R. Noyori, Nagoya

E. Vogel, Köln

O. Vogl, Brooklyn, N.Y.

Advisory Board

J. D. Dunitz, Zürich

G. H. Findenegg, Bochum

E. O. Fischer, München

H. L. Gruber, Innsbruck

V. Gutmann, Wien

J. F. K. Huber, Wien

H. Junek, Graz

F. Kohler, Bochum

C. Kratky, Graz

H. Krischner, Graz

R. Lacmann, Braunschweig

K. Mislow, Princeton, N.J.

A. Müller, Bielefeld

E. Nachbaur, Graz

H. Nowotny, Wien

O. F. Olaj, Wien

F. Paltauf, Graz

W. von Philipsborn, Zürich

K. Rossmanith, Wien

H. Ruis, Wien

F. Sauter, Wien

K. Schaffner, Mülheim/Ruhr

J. Schantl, Innsbruck

H. Schmidbaur, München

T. Schönfeld, Wien

G. Spiteller, Bayreuth

U. Wannagat, Braunschweig

A. Yamamoto, Yokohama

Editorial Assistant: O. Hofer, Wien

Alle Rechte, einschließlich das der Übersetzung in fremde Sprachen und das der photomechanischen Wiedergabe oder einer sonstigen Vervielfältigung, auch in Mikroform, vorbehalten

The exclusive copyright for all languages and countries, including the right for photomechanical and any other reproductions including microform is transferred to the publisher

© 1993 by Springer-Verlag/Wien

Autorenverzeichnis/Author Index

Abass S. M., s. Sherif O. E.

Abdalla E. M., s. El-Gyar S. A.

Abdel-Moez M. S., s. Ramadan A. A. T.

Acero C., Ribó J. M., Solé R., Trull F. R.: Reactivity of pyrrole pigments, XV. On the oxidation of bilirubins

and biliverdins 403

Ahorn H., s. Kalchhauser H.

Al-Timari U. A. R., s. Fišera L.

Algarra F., Baldoví M. V., García H., Miranda M. A., Primo I.: Direct photolysis and electron transfer photooxygenation of enol acetates of 3-phenylpropiophenones 209

Alva-Astudillo M., s. Hennig L.

Aly Y. L., s. Dueholm K. L.

Ansari S. M., s. Khan N.

Arce F., s. Brandariz I.

Armesto X. L., s. Brandariz I.

Ayad M. I., s. Ayad M. M., Donia A. M.

Ayad M. M., Ayad M. I., Mansour I.
A.: Synthesis, thermal and electrical studies on solvated oxovanadium(IV) complexes with Schiff bases derived from aromatic diamines and 2-hydroxy-1-naphthaldehyde 995

Azab H. A., El-Nady A. M., Hassan A., Azkal R. S. A.: Ternary complexes in solution. Comparison of the coordination tendency of some polybasic oxygen acids toward binary complexes of Cu(II) and AMP, ADP or ATP 637

Azab H. A., Hassan A., El-Nady A. M., Azkal R. S. A.: Ternary complexes of nickel(II) with AMP, ADP and ATP as primary ligands and some biologically important polybasic oxygen acids as secondary ligands 267 Azkal R. S. A., s. Azab H. A.

Balarev C., s. Todorovsky D. S.

Baldoví M. V., s. Algarra F.

Baran E. J., s. Ferrer E. G.

Baran E. J.: Mittlere Schwingungsamplituden von HBCl₂, HAlCl₂ und HGaCl₂ 287

Barbe J., s. Moisan M.

Bartel H.-G., s. Ehrentreich F.

Bartsch U., s. Gustav K.

Bartus J., Vogl O: Measurement of optical activity of isotropic compounds in suspension 217

Bassewitz I. v., s. Reisch J.

Bernhardt G., s. Kritzenberger J.

Bisi Castellani C., s. Carugo O.

Bogdanowicz-Szwed K., Krasodomska M., Lipowska M., Rys B., Skonecka A.: Synthesis of pyridine derivatives by reactions of α,β-unsaturated nitriles with 2-oxo-cycloal-kano carbothioic-acid anilides 721

Bögge H., s. Müller A.

Böhme P., s. Ulbricht M.

Borsdorf R., s. Himmelreich, U.

Bottari E., Festa M. R.: On the composition of sodium glycodeoxycholate micellar solutions 1119

Brandariz I., Arce F., Armesto X. L., Penedo F., Sastre de Vicente M.: Dependence of equilibrium constants of L-valine on ionic strength according to Guggenheim, Scatchard and Pitzer models 249

Brunner H., Sperl G.: Synthese und Antitumoraktivität von cis-Dichloroplatin(II)-Komplexen mit Östradielderivsten 82

diolderivaten 83

Brunvoll J., s. Cyvin S. J.

Brzezínski J. Z., s. Epsztajn J.

Burger K., s. Sewald N.

Burger K., Rudolph M., Windeisen E., Worku A., Fehn S.: Hexafluoraceton als Schutzgruppen- und Aktivierungsreagenz in der Aminosäure- und Peptidchemie, 11. Mitt.: Ein neuer und präparativ einfacher Zugang zu 2,5-Dioxopiperazinen und 2,5-Dioxomorpholinen 455

Burger N.: Spectrophotometric determination of nitroprusside by complex formation with obidoxime 703

Burger N., Hankonyi V.: The pentacyanopyridine-4-aldoximeferrate-(II) ion. Estimation of the ligand's coordination site 467

Burgess J., s. Shraydeh B. F. Buseck S., s. Neidlein R.

Carugo O., Bisi Castellani C., Perotti A.: Yttrium(III) bonding to organic ligands. A comparison with the lanthanoid(III) cations 681

Carbalho M. F. N. N., Herrmann R. Pombeiro A. J. L.: Conversion of alkynes and nitriles into organo and organonitrogenated species at group VI and VII dinitrogen-binding metal centres. Synthesis of some vinylidene and alkynyl complexes of rhenium 739

Cea-Olivares R., Muñoz M. A.: Potassium tetraphenylimidodiphosphinate complex of 1,4,7,10,13,16-hexaoxacyclooctadecane. An inorganic (carbon-free) chelate ring 471

Cea-Olivares R., Toscano R. A., López M., Garcia P.: Coordination ability of 1,3-dithia-2-arsa- and -stiba-cyclopentanes towards sulfur containing ligands, Part II. Diheterocyclic dithiocarbamate complexes. X-ray structure of the 4-morpholinecarbodithioate of 1,3-dithia-2-arsacyclopentan 177

Cervantes-Lee F., s. Porter L. C.

Chen R., s. Gutmann I.

Clarke D. D., s. Gershon H.

Cyvin B. N., s. Cyvin S. J.

Cyvin S. J., s. Gutmann I.

Cyvin S. J., Cyvin B. N., Brunvoll J.: Contributions to the theory of benzenoid isomers: Some properties of extremal benzenoids 477

Czech K., s. Epsztajn J.

Dérer T., s. Stankowský Ś.

Derylo-Marczewska A., Jaroniec M., Oscik J., Marczewski A. W.: Competitive adsorption from multicomponent non-electrolytic liquid mixtures on heterogenous solid surfaces 229

Detampel B., s. Greiner R.

Diab M. A., s. El-Sonbati A. Z.

Dölling W., Kischkies K., Heinemann F., Hartung H.: Synthesen von α,β-ungesättigten 2-(2-Oxo-benzazolin-3-yl)-3-hydroxy-dithiocarbonsäure-alkylestern und entsprechend substituierten Keten-S,S-acetalen sowie deren Kristall- und Molekülstruktur 707

Domènech X., s. Pujol M.

Donia A. M., Ayad M. I.: Thermal behaviour of some crystal solvates of manganese(III) complexes 981

Dräger M., Haber M., Erfanian-Abdoust H., Pindur U., Sattler K.: New potential DNA intercalators of the carbazole series from indole-2,3-quinodimethanes: Synthesis, crystal structure, and molecular modeling with a Watson-Crick mini-helix 559

Dueholm K. L., Aly Y. L., Jørgensen P. T., El-Barbary A. A., Pedersen E. B., Nielsen C.: Convergent synthesis of 2',3'-dideoxy-3'-methylthio and 2',3'-dideoxy-3'-mercapto nucleosides and their disulfide analogues. Potential anti-HIV agents 37

- Dukov I. L.: Synergic solvent extraction of some lanthanides with mixtures of thenoyltrifluoroacetone and benzo-15-crown-5 689
- Effenberger H., Pertlik F.: Comparison of the crystal structures of $Co_2(X_2O_7) \cdot 2 H_2O$, X = P and As 381
- Ehrentreich F., Nofz M., Bartel H.-G.: Application of the fuzzy-C-means algorithm to the study of relationships between composition and properties. Physical properties of glasses.

Eibl M., s. Hengge E.

Ekiz-Gücer N., s. Reisch J.

El-Barbary A. A., s. Dueholm K. L., El-Sonbati A. Z.

- El-Fass M. M.: Aggregation of mordant black 11 in aqueous solution 945
- El-Gyar S. A., Hamed M. M. A., Abdalla E. M., Mahmoud M. R.: Medium effects on the acid dissociation constants of some diimine heterocyclic bases 127
- El-Kot A. M., Mohamed A. A.: Solvent extraction of tetravalent selenium 695

El-Nady A. M., s. Azab H. A.

- El-Shaaer, H. M. E.-M., Perjéssy A., Zahradnik P., Lácová M., Susteková Z.: Infrared spectra and theoretical study of methyl, formyl, and acetyl derivatives of chromones 539
- El-Shetary B. A., s. Ramadan A. A. T. El-Shetary S., s. Taha A.
- El-Sonbati A. Z., El-Bindary A. A., Diab M. A., Mazrouh S. A.: Polymer complexes, XXIII. Synthesis and physico-chemical studies on transition metal complexes of symmetric novel poly(N,N'-ophenylenediamine) - bis (cinnamaldehyde) 793

- El-Sonbati A. Z., Hefni M. A.: Polymer complexes, XXI. Stereochemical changes of metal chelates of poly(5-vinylsalicylidene-2-benzothiazoline) 421
- Ellinger F., Gieren A., Hübner T., Lex J., Lucchesini F., Merz A., Neidlein R., Salbeck J.: Ein Beitrag zum Tetrathiaporphycen-Redoxsystem: Elektrochemische Reduktion eines 20π-Cyclophans zum diatropen 22 π-Dianion 931
- Epsztajn J., Brzeziński J. Z., Czech K.: Application of organolithium and related reagents in synthesis, Part XII. Synthesis of phenyl- and pyridylpyridopyridazinones and their derivatives 549

Erfanian-Abdoust H., s. Dräger M.

Ertl P., s. Fišera L.

Etcheverry S. B., s. Ferrer E. G.

- Etzlstorfer C., Falk H.: Tautomerism and stereochemistry of isohypericin, bromohypericines, and gymnochromes: Force field investigations 1031
- Etzlstorfer C., Falk H., Müller N.: Tautomerism and stereochemistry of dihydroxyperylenequinones. Force field investigations 433
- Etzlstorfer C., Falk H., Müller N., Schmitzberger W., Wagner U. G.: Tautomerism and stereochemistry of hypericin: Force field, NMR, and X-ray crystallographic investigations 751

Etzlstorfer C., Falk H., Oberreiter M.: On the tautomerism of hypericin: The 1,6-dioxo tautomer 923

Ezquerra J., s. Sepulveda-Arques J.

Falk H., s. Etzlstorfer C.

Falk H., Meyer J., Oberreiter M.: A convenient semisynthetic route to hypericin 339

Falk H., Suste A.: On the chemistry of pyrrole pigments, XC. Pyridinologous linear tri- and tetrapyrroles 881

Falk H., Schmitzberger W.: On the bromination of hypericin. The gymnochrome chromophores 77

Fehn S., s. Burger K.

Ferrer E. G., Etcheverry S. B., Baran E. J.: Darstellung und Eigenschaften von Vanadinyl(IV)saccharinat 355

Festa M. R., s. Bottari E.

Fišera L., Al-Timari U. A. R., Ertl P.,

Prónayová N.: Preparation and
stereoselectivity of 1,3-dipolar
cycloaddition of D-glucose-derived
nitrones to N-arylmaleimides 1019

Fleischhacker W., Richter B., Völlenkle H.: Erstmalige Herstellung von N,C10-überbrückten Morphin-Derivaten. 5H-10,13-Iminoethanophenanthro[4,5-bcd]furan, I 909

Foces-Foces C., s. Llamas-Saiz A. L. Földesi A., s. Perjési P.

Fröhlich J., Ilk R., Kählig H., Robien W.: Elucidation of the constitution of a heterocyclic rearrangement product by means of ¹⁷O-NMR-spectroscopy 1195

Galy J.-P., s. Moisan M. Gamsjäger H., s. Nguyen A. M. García E. Z., s. Sepúlveda-Arques J. García H., s. Algarra F. Garcia P., s. Cea-Olivares R. Gasowska. s. Lomozik L.

Gershon H., Clarke D. D., Gershon M.: Reexamination of the thermolytic rearrangement of 4-halophenyl azides to 2-aminophenols and other products 367

Gershon M., s. Gershon H. Gieren A., s. Ellinger F.

Giester G.: LiFe $^{3+}$ (Se $_2$ O $_5$) $_2$ and its structural relationships to Me $^{2+}$ (Se $_2$ O $_5$) compounds 1107

Göhring W., s. Wünsch E.

Gospodinov G.: Röntgenstruktur und thermische Untersuchungen der Dreistoffverbindungen im System Sb-Se-O 343 Gospodinov G., s. Slavtscheva J.

Gössinger E., Graupe M., Zimmermann K.: Untersuchungen zur Synthese des Nodusmicin, I. Darstellung von (±)-(1R*,5R*,6R*, 7S*,8R*,9R*,10R*)-5-Acetyl-7,9-dibenzyloxy-10-hydroxy-8-methylbicyclo[4.4.0]decan-3-on 965

Graupe M., s. Gössinger E.

Greiner R., Detampel B., Schmidt A.: Ligandenaustausch in Alkoxo/ Halogenstiban-Systemen 827

Grzejdziak A., s. Ignaczak M.

Gspaltl P., s. Hengge E. Günther W., s. Gustav K.

Gust R., s. Kritzenberger J.

Gust R., Schönenberger H., Range K.-J., Klement U., Schneider M.: Crystal structure and hormonal activity of 1,1-bis(4-hydroxy-phenyl)-2-phenylethene 1181

Gustav K., Bartsch U., Günther W., Letsch C.: Spektroskopische Untersuchungen an organischen Carbonylverbindungen, 8. Mitt.: Systematische zweidimensionale NMR-Messungen an dimethylaminophenyl-substituierten β-Diketonen 1177

Gusterhuber D., s. Schubert-Zsilavecz M.

Gutmann I., Cyvin S. J., Chen R., Lin K.: Number of Kekulé structures of multiple zigzag chain aromatics 117 Gutmann V., s. Scheiber E., Strauß B.

Haber M., s. Dräger M.

Hamed M. M. A., s. El-Gyar S. A.

Hammerschmidt F.: Die Phosphonat-Phosphat- und Phosphat-Phosphonat-Umlagerung und ihre Anwendung, Teil II. Stereochemie der Phosphonat-Phosphat-Umlagerung am Kohlenstoff am Beispiel der Isomerisierung von (R)-(+)- und (S)-(-)-(1-Hydroxy-1-phenlylethyl)phosphonsäure-diethylester 1063 Han L., s. Schmid R.,

Hankonyi V., s. Burger N.

Hartmann U., s. Ulbricht M.

Hartung H., s. Dölling W.

Hassaan A. M. A., Khalifa M. A.: Metal chelates of some transition and non-transition metal ions with Schiff base derived from isatin with o-phenylenediamine 803

Hassan A., s. Azab H. A.

Hassouna M. E. M., s. Sherif O. E.

Haupt-Schott J., Lentz H.: Kopplung einer einfachen sub- oder superkritischen Extraktion mit normalen Analysenmethoden 1083

Häusler J.: Synthese von α-Methylhomocysteinthiolacton 1071

Hefni M. A., s. El-Sonbati A. Z.

Heinemann F., s. Dölling W.
Hengge E., Eibl M., Stadelmann B.:
Über α, ω-Übergangsmetallsub-

stituierte Oligosilane 523

Hengge E., Jenkner P. K., Spielberger A., Gspaltl P.: Ein neuer Weg zu Cyclopentasilanderivaten 1005

Henkel G., s. Reisch J.

Hennig L., Alva-Astudillo M., Meusinger R., Mann G.: Synthesis of pyrazolo[3,4-c]isoquinoline and pyrazolo[3,4-b]pyridine derivatives from azomethines and CH-acidic compunds 893

Herrmann, R., s. Carvalho M. F. N. N. Hesek D., Rybár A.: 7,8-Disubstituted [1,3]thiazino[2,3-f]purine derivatives 1143

Hiessböck R., s. Kratzel M.

Himmelreich, U., Tschwatschal F., Borsdorf R.: NMR-spektroskopische Untersuchungen an Derivaten des 2,4-Dichlorphenoxyessigsäurehydrazids 1041

Hofer O., Kählig H., Reischl W.: On conformational flexibility of vitamin D 185

Hofmann J., Hoppe R.: Ein neues Metagermanat: RbK(GeO₃)-oligomere (Rb₂GeO₃) oder polymere (K₂GeO₃) Anionen? 529

Hoppe R., s. Hofmann J.

Hosztafi S., s. Marton J.

Hübener G., s. Wünsch E.

Hübner T., s. Ellinger F.

Iding M., s. Reisch J.

Idriss K. A., Saleh M. M. S.: Acid-base characteristics of naphthazarin and solution equilibria of yttrium(III) chelates 1089

Ignaczak M., Grzejdziak A.: Characteristic of the Ag(II)/Ag(I) system in the presence of picolinic acid in water 607

Ilk R., s. Fröhlich J.

Iqbal N., Ueno Y.: Synthesis of indolo phenothiazin-6-one derivatives 319
Issa Y. M., s. Sherif O. E.

Jachak M., Krießmann U., Mittelbach M., Junek H.: Cyanoacetaldehyde – New synthetic applications of an old compound. Syntheses with nitriles, XCI 199

Jankova R., s. Ojkova T.

Jánosi A.: The exponential distribution in the small angle X-ray scattering. Theory and practice 815

Jaroniec M., s. Derylo-Marczewska A. Jenkner P. K., s. Hengge E.

Jørgensen P. T., s. Dueholm K. L., Motawia M. S.

Junek H., s. Jachak M.

Kählig H., s. Fröhlich J., Hofer O.

Kählig H., Nimmerrichter P. P., Robien W.: 17O-NMR Spectroscopy as a tool for stereochemical analysis. Application to a diterpene derivative 71

Kalchhauser H., Kriech M., Ahorn H., Sommergruber W.: 2D Relayed ¹⁵N, ¹H correlated NMR spectroscopy of a pentadecapeptide at natural abundance of ¹⁵N 333 Kappe C. O., Wentrup C., Kollenz G.: [2+4] Cycloaddition reactions of neat dipivaloketene 1133

Khalifa M. A., s. Hassaan A. M. A.

Khan N., Ansari S. M., Robien W.: ¹³C-NMR of some derivatives of 3-methyl-4,1-benzoxazepine-2,5dione 783

Kirchner K., s. Schmid R.

Kischkies K., s. Dölling W.

Klán P.: Effect of metal ions on the bromination of 3,5-dimethylpyridine-N-oxide in acetic acid 327

Klement U., s. Gust R.

Kollenz G., s. Kappe C. O.

Königsberger E., s. Nguyen A. M.

Koós M., s. Steiner B.

Kövér K. E., s. Marton J.

Krasodomska M., s. Bogdanowicz-Szwed K.

Kratky C., s. Widhalm M.

Kratzel M., Hiessböck R.: Reissert epoxides: Novel oxidation products of quinoline Reissert compounds 1207

Krickemeyer E., s. Müller A.

Kriech M., s. Kalchhauser H.

Krießmann U., s. Jachak M.

Krill A., s. Stepanovsky M.

Krill A., Stepanovsky M., Utvary K.: Fluordiazadiphosphetidine, 23. Mitt.: Die Herstellung neuer unsymmetrisch substitueirter Fluordiazadiphosphetidine 283

Krill A., Stepanovsky M., Utvary K.: Fluordiazadiphosphetidine, 24. Mitt.: Reaktionen monosubstituierter Fluordiazadiphosphetidine mit Kaliumfluorid/Kronenether 511

Kritzenberger J., Bernhardt G., Gust R., Pistor P., Schönenberger H., Yersin H.: Dichlorobis(cycloalkylamine)platinum(II) complexes. Structure activity relationship on the human MDA-MB-231 breast cancer cell line 587

Lácová M., s. El-Shaaer H. M. E.-M. Larnkjaer A., s. Motawia M. S.

Lemke M., s. Müller A.

Lentz H., s. Haupt-Schott J.

Letsch C., s. Gustav K.

Léval A., Ott J., Snatzke G.: Oxazepines and Thiazepines, XXVIII. Circular dichroism of optically active 2,3-dihydro-2-methyl-1,5benzoxazepin-4(5H)-ones 65

Lex J., s. Ellinger F.

Li Z., Schlögl K.: Chiral crystals of "meso"-1,1'-bi(9,10-dihydro-9,10ethanoanthryl). Chiroptical properties, absolute chirality and rotational barrier 1211

Li Z., Werner A., Schlögl K.: Syntheses and absolute stereochemistry of chiral 9,10-dihydro-9,10-ethanoan-thracenes and their tricarbonylchromium complexes 443

Likussar W., s. Schubert-Zsilavecz M., Limtrakul J.: Structure, energetics, and vibrational frequencies of the pyrazole-water complex 259

Lin K., s. Gutmann I.

Linert W., s. Strauß B., Taha A.

Lipowska M., s. Bogdanowicz-Szwed K. Llamas-Saiz A. L., Foces-Foces C.:

Geometrical characteristics of fourcoordinate complexes of Ni, Pd, and Pt containing triphenylphosphine as ligand 243

Lomozik L., Gasowska: Equilibrium and spectral studies of putrescine complexes with copper(II) 109

López M., s. Cea-Olivares R. Lucchesini F., s. Ellinger F.

Mahmoud M. R., s. El-Gyar S. A.

Majdan M., s. Sadowski P.

Malyszko E., Malyszko J.: Redox equilibria in the In(III)-In(I)-In system in aqueous KBr solutions, I. Potentiometric and coulometric study 15

Malyszko J., s. Malyszko E.

Mann G., s. Hennig L.

Mansour I. A., s. Ayad M. M.

Marbold H., s. Nguyen A. M.

Marczewski A. W., s. Derylo-Marczewska A.

Marmol D. P., s. Sepulveda-Arques J.

Marton J., Hosztafi S., Kövér K. E.: Synthesis and conformational studies on some nitro- and aminophthalideisoquinoline derivatives 291

Matulová M., s. Steiner B.

Matuschek B., s. Neidlein R.

Matusiak G., Šliwa W.: 1,3-Dipolar cycloaddition reactions of 4,6-diazaphenanthrene 6-phenacylide 161

Mazrouh S. A., s. El-Sonbati A. Z.

Medio-Simón M., s. Pitarch-Vinuesa M.

Merz A., s. Ellinger F.

Meusinger R., s. Hennig L.

Meyer J., s. Falk H.

Michov D., s. Ojkova T.

Mikenda W., Pertlik F., Steinwender E.: Hydrogen bonding in 2-hydroxy-benzhydrazide and 2-hydroxy-thiobenzhydrazide. Structural and spectroscopic study 867

Milanova M. M., s. Todorovsky D. S. Ming-Li, s. Porter L. C.

Minkova N. L., s. Todorovsky D. S.

Miralles N., Sastre A.-M.: Comparative study of the distribution equilibria of Zn(II) in chloride medium by organophosphorus, phosphoric, and phosphinic acids 987

Miranda M. A., s. Algarra F., Pitarch-Vinuesa M.

Mittelbach M., s. Jachak M.

Mohamed A. A., s. El-Kot A. M.

Moisan M., Galy J.-P., Galy A.-M., Barbe J.: New α,ω-diamido and α,ω-diamino mono- and bi-bridged acridine dimers 23

> Motawia M. S., Jørgensen P. T., Larnkjaer A., Pedersen E. B.,

Nielsen C.: Synthesis of 5-dialkylaminomethyl-3'-azido and 3'-fluoro-2',3'-dideoxyuridines for evaluation as anti-HIV agents 55

Müller A., Lemke M., Krickemeyer E., Bogge H., Penk M.: (NPr₄)[SRe^v(S₄)(S₃CMe₂)]: ein [SRe^v(S₄)₂]⁻-Derivat 857

Müller N., s. Etzlstorfer C.

Müller N., s. Etzlstorfer C.

Muñoz M. A., s. Cea-Olivares R. Murray III, H: H., s. Porter L. C.

Neidlein R., s. Ellinger F.

Neidlein R., Buseck S.: Alkylester und N,N-Dimethylaminoethylester unsymmetrischer Phosphinsäuren 309

Neidlein R., Matuschek B.: Synthesis of some phosphonocarbonyl compounds via Horner-Emmons reaction of methylenbisphosphonate 789

Nguyen A. M., Königsberger E., Marbold H., Gamsjäger H.: Solid-solute phase equilibria in aqueous solutions, VIII: The standard Gibbs energy of La₂(CO₃)₃·8H₂O 1011

Nielsen C., s. Dueholm K. L., Motawia M. S.

Nimmerrichter P. P., s. Kählig H.

Nitzsche R., Röbisch G.; Zur Reaktion von Pyridin-2,6-dicarbonsäure mit Aluminium(III) in wäßriger Lösung 157

Nofz M., s. Ehrentreich F.

Nordhaus P., s. Reisch J.

Oberreiter M., s. Etzlstorfer C., Falk H. Öhler E.: A new heteroannulation method to 2-cyclohexenone, mediated by phosphonate auxiliaries. Synthesis of 4,5,6,7-tetrahydrobenzothiazole derivatives 763

Ojkova T., Michov D., Jankova R.: Dreistoffsysteme Wasser-Salz mit Lithiumselenat, Natriumselenat, Kobaltselenat und Magnesiumselenat bei 25°C 349 Oscik J., s. Derylo-Marczewska A. Ott J., s. Lévai A.

Pedersen E. B., s. Dueholm K. L., Motawia M. S.

Penedo F., s. Brandariz I.

Penk M., s. Müller A.

Perjési P., Földesi A., Tamás J.: Synthesis and structure of 2-phenyl-4-aryl-3,4,5,6-tetrahydrobenzo[h]-quinazolines 167

Perjéssy A., s. El-Shaaer H. M. E.-M. Perotti A., s. Carugo O.

Pertlik F., s. Effenberger H., Mikenda W. Pindur U., s. Dräger M.

Pistor P., s. Kritzenberger J.

Pitarch-Vinuesa M., Miranda M. A., Medio-Simón M., Sepúlveda-Arques J.: Electron transfer reactions of 1-phenyl-4-vinylpyrazole mediated by cerium(IV) ammonium nitrate 959

Pombeiro A.J. L., s. Carvalho M. F. N. N. Popova E., s. Slavtscheva J.

Porter L. C., Ming-Li., Cervantes-Lee F., Murray III, H. H.: Bonding in phenylhydrazones: X-ray crystal structure and theoretical calculations involving E-acetophenone phenylhydrazone 775

Prat J., s. Pujol M.

Prean M., s. Schantl J. G.

Primo J., s. Algarra F.

Proksa B., s. Steiner B.

Proksa B.: Reaction of (2)-narceine imide with 1,2-epoxypropane 953

Prónayová N., s. Fišera L.

Pujol M., Prat J., Trillas M., Domènech X.: Stability of aqueous carboplatin solutions under illumination 1077

Ramadan A. A. T., Abdel-Moez M. S., El-Shetary B. A., Seleim H. S.: Thermodynamics of complexation of lanthanides and some of transition metal ions by 5,5-dimethylcyclohexane-2(2-hydroxyphenyl)hydrazone-1,3-dione (DCPHD) and its derivatives 647

Ramsis M. N.: Electronic emission and absorption spectroscopy of the rhenium complexes Re(CO)₃Cl-(phosphine)₂ 849

Range K.-J., s. Gust R.

Rao A. R. R., s. Reisch J.

Reiner J., s. Schubert-Zsilavecz M.

Reisch J., Iding M., Bassewitz I. v.: Naturstoffchemie, 171. Mitt.: Verhalten von Ethyl-(E)-3-(4-brom-3-methylbut-2-enyl)-N-methyl-1,2,3,4-tetrahydro-3-chinolin-2,4(1H,3H)-dion-carboxylat in Anwesenheit von 1,8-Diazabicyclo[5.4.0]undec-7-en (DBU) 1225

Reisch J., Nordhaus P.: Naturstoffchemie, 168. Mitt.: Eintopfsynthese von 3-[2-(5,7,9-Trimethoxy-2,2-dimethyl-2H-pyrano[2,3-b]chinolin-4yl)-3-hydroxy-3-methyl]-butyl-4,6,8trimethoxy-1H-chinolin-2-on 1221

Reisch J., Rao A. R. R., Usifoh C. O.: Acetylenic chemistry, Part XXVI. One-pot synthesis of 1,3-dialkylated derivatives of quinazolinone and its aza-analogue via Mitsunobu reaction 1217

Reisch J., Zappel J., Henkel G., Ekiz-Gücer N.: Photochemische Studien, 65. Mitt.: Untersuchungen zur Photostabilität von Ethisteron und Norethisteron sowie deren Kristallstrukturen 1169

Reischl W., s. Hofer O.

Ribó J. M., s. Acero C.

Richter B., s. Fleischhacker W.

Robien W., s. Fröhlich J., Kählig H., Khan N.

Röbisch G., s. Nitzsche R.

Rosende E. G., s. Sepulveda-Arques J.

Rudolph M., s. Burger K.

Rybár A., s. Hesek D.

Rys B., s. Bogdanowicz-Szwed K.

Sadowski P., Majdan M.: Complexation in Pr,Sm-SCN systems 7

Salbeck J., s. Ellinger F.

Saleh M. M. S., s. Idriss K. A.

Sapunov N., s. Schmid R.

Sastre A.-M., s. Miralles N.

Sastre de Vicente M., s. Brandariz I.

Sattler K., s. Dräger M.

Schantl J. T. G., Prean M.: Addition products of hydrazine derivatives to azo-alkenes, Part V. The reaction of α-(1-phenylhydrazino)alkanone phenylhydrazones with acids and acid derivatives 299

Schapiro B., Stottmeister F.: Selbstähnlichkeit am Beispiel des Aggregationsprozesses von Amphiphilen

Scheiber E., Gutmann V.: The oxygen content in supercooled water 277

Schlögl K., s. Li Z.

Schmid R., Han L., Kirchner K., Sapunov N.: Redox kinetics of metal complexes in nonaqueous solutions: Oxidation of a series of tris(1,10-phenanthroline)iron(II) ions by hexakis(trimethylphosphate)iron(III) in acetonitrile: A reactivity-selectivity relationship 493

Schmidt A., s. Greiner R.

Schmitzberger W., s. Etzlstorfer C., Falk H.

Schneider M., s. Gust R.

Schönenberger H., s. Gust R., Kritzenberger J.

Schubert-Zsilavecz M., Gusterhuber D., Likussar W.: Reactions of hydroxyethylamino-1,4-benzoquinones with 2,4,6-trimethylbenzonitrile oxide, II 1201

Schubert-Zsilavecz M., Reiner J.: NMR-spektroskopische und massenspektrometrische Untersuchung der Struktur und Lösungsgleichgewichte von Hydroxyethylaminotoluchinonen 1053

Schwendt P., s. Sucha V.

Seleim H. S., s. Ramadan A. A. T. Sepúlveda-Arques J., s. Pitarch-Vi-

nuesa M.,

Sepúlveda-Arques J., Rosende E. G., Marmol D. P., García E. Z., Yruretagoyena B., Ezquerra J.: Unusual Hofmann elimination at low temperature. Reaction of 3-hydroxymethylpyrrolidines with p-toluenesulfonyl chloride 323

Sewald N., Burger K.: Reactions of 3,3,3-trifluoropyruvates with amidines. New trifluoromethyl substituted heterocyclic "building blocks" 899

Sherif O. E., Issa Y. M., Hassouna M. E. M., Abass S. M.: Structural studies on some 3-acetyl-1,5-diaryl and 3-cyano-1,5-diaryl formazan chelates with cerium(III), thorium(IV), an uranium(VI) 627

Shraydeh B. F., Burgess J.: Solvent effects and correlation with Reichardt's E_T values on charge transfer spectra of bis(2,2-bipyridyl)biscyanoiron(II) 877

Sivák M., s. Suchá V.

Skonecka A., s. Bogdanowicz-Szwed K. Slavtscheva J., Popova E., Gospodinov G.: Untersuchungen zur Löslichkeit und Bestimmung des Löslichkeitsproduktes von Kupfer- und Silberselenit 1115

Śliwa W., s. Matusiak G.

Snatzke G., s. Lévai A.

Solé R., s. Acero C.

Sommergruber W., s. Kalchhauser H.

Sperl G., s. Brunner H.

Spielberger A., s. Hengge E.

Špirková K., s. Stankowský S.

Stadelmann B., s. Hengge E.

Stankowský Š., Dérer T., Špirková K.: Amidinoyl isothiocyanates in the synthesis of condensed heterocycles: Preparation of quinazolino[3,4-c][1,3,5]-benzotriazepines and quinazolino[3,4-c][1,2,3,5]benzotetrazepines 733 Stec Z.: Synthesis of 2-acetoxy- and 2 hydoxy-2,3-dihydronaphtho-[1,8-bc]pyran 331

Steiner B., Koós M., Matulová M., Proksa B.: Synthesis of 2-acetyl-3methyl-4H-1,4-benzothiazine and its derivatives 427

Steinwender E., s. Mikenda W.

Stepanovsky M., s. Krill A.

Stepanovsky M., Krill A., Utvary K.: Fluordiazadiphosphetidine. 21. Mitt.: Photochemische Chlorierung von 2,2,2,4,4,4-Hexafluoro-1,3-diethyl (und dipropyl)-1,3,2λ⁵,4λ⁵-diazadiphosphetidin und die Herstellung von 2,2,2,4,4,4-Hexafluoro-1-(cyanomethyl)-3-methyl-1,3,2λ⁵,4λ⁵-diazadiphosphetidin 149

Stepanovsky M., Krill A., Utvary K.: Fluordiazadiphospetidine, 22. Mitt.: Reaktion von 2,2,2,4,4,4-Hexafluor-1,3-dimethyl-1,3,2λ⁵,4λ⁵-diphosphetidin mit silylierten Aminosäuren 153

Stottmeister F., s. Schapiro B.

Strauß B., Gutmann V., Linert W.: Investigations on the spin-crossover complex [Fe(bzimpy)₂] (Cl₄)₂ and its Mn²⁺, Co²⁺, Ni²⁺, and Zn²⁺ analogues 391

Strauß B., Gutmann V., Linert W.: Spin-crossover complexes in solution, II. Solvent effects on the high spin – low spin – equilibrium of [Fe(bzimpy)₂](ClO₄)₂ 515

Suchá V., Sivák M., Schwendt P.: Benzylammonium, imidazolium and pyridinium polyvanadates. Synthesis and characterization 809

Šuste A., s. Falk H.

Susteková Z., s. El-Shaaer H. M. E.-M.

Taha A., El-Shetary S., Linert W.: Metal chelates of triazine Schiff-bases: Complex formation of 3-(α-phenyl-ethylidenehydrazino-5,6-diphenyl-1,2,4-triazine with copper(II) 135

Tamás J., s. Perjési P.

Todorovsky D. S., Milanova M. M., Minkova N. L., Balarev C.: Solubility of some lanthanide sulfates in polycomponent systems containing sulfuric acid 673

Tomiska J., s. Vrestal J.

Toscano R. A., s. Cea-Olivares R.

Traving B., s. Wünsch E.

Trillas M., s. Pujol M.

Trull F. R., s. Acero C.

Tschwatschal F., s. Himmelreich, U.

Ueno Y., s. Iqbal N.

Ulbricht M., Böhme P., Hartmann U.: Reactions of primary amines and alcohols with 4-toluoyl azide 1149

Usifoh C. O., s. Reisch J.

Utvary K., s. Krill A., Stepanovsky M.

Vávra R., s. Žúrková Ľ.

Vogl O., s. Bartus J.,

Voigt W.: Calculation of salt activities in molten salt hydrates applying the modified BET equation, I: Binary systems 839

Völlenkle H., s. Fleischhacker W.

Vrestal J., Tomiska J.: Ein Knudsenzellen-Monopolmassenspektrometer für den Einsatz in der Hochtemperaturthermodynamik 1099

Wagner U. G., s. Etzlstorfer C.

Wendlberger G., s. Wünsch E.

Wentrup C., s. Kappe C. O.

Werner A., s. Li Z.

Widhalm M., Kratky C.: 8,8'-Bis-(diphenylphosphinomethyl)-1,1'-binaphthyl. Synthese und Konformation 103

Windeisen E., s. Burger K.

Worku A., s. Burger K.

Wünsch E., Wendlberger G., Göhring W., Hübener G., Traving B.: Zur Totalsynthese von Human-Sekretin 577 Yersin H., s. Kritzenberger J. Yruretagoyena B., s. Sepulveda-Arques J.

Zahradnik P., s. El-Shaaer H. M. E.-M. Zappel J., s. Reisch J. Zimmermann K., s. Gössinger E. Zimmermann K.: Untersuchungen zur Synthese des Nodusmicin, II. Synthese und Konformationsuntersuchung von 3,6-disubstituierten Tricyclo[6.2.1.0^{2,7}]undeca-4,9-dienen 1157

Žúrková Ľ., Vávra R.: Synthesis and properties of propylammonium polyvanadates 619

Sachverzeichnis / Subject Index

Ab initio 259

Absorption spectroscopy, see Uv-vis Absorption, rhenium complexes 849

2-Acetamido-5-haloanisoles 367

Acetophenone phenylhydrazone, X-ray 775

2-Acetoxy-2,3-dihydronaphtho[1,8-bc]pyran 331

3-Acetyl formazans 627

Acetylated 2-amino-5-halophenols 367

Acetylmethylchromones 539

Acid catalysed reaction 1221

Acid cyclisation 953

Acid dissociation constants 127

Acid-base equilibrium 127

Acidic compounds, CH-893

Acridine, 9-amino-23

Acridine, dimers 23

1,3-Acyl migration 209

Addition/cyclization reaction 893

Adenosine diphosphate, Cu(II) complexes 637

Adenosine monophosphate, Cu(II) complexes 637

Adenosine monophosphate, DP, and TP 267

Adenosine triphosphate, Cu(II) complexes 637

Adsorbent heterogeneity 229

Adsorption, at liquid-solid interface 229

Adsorption, from multicomponent solutions 229

Adsorption, thermodynamic functions 229

Aggregation 945

Aggregation process 1, 465

Alcoholysis 1149

Alkali metal metagermanate, X-ray 529

Alkaline complexes 471

Alkoxo/halogeno stibanes 827

Alkynes 739

Alkynyl complexes 739

Almeine 1225

Aluminium(III) 157

Aluminum, hydrogenechloride HAl-Cl₂ 287

Ami calculations 539, 1019

Amidines 899

Amidinoyl isothiocyanate, 2-morpholino, 2-piperidino 733

Amino acids 453

α-Amino acids, α-substituted 1071

9-Amino-acridine 23

Aminolysis 1149

Aminophthalideisoquinolines 291

Aminopyrazoles 199

Aminopyridopyridazines 549

Ammonium formate, reduction with 291

Amphiphilic molecules 1, 465

Anilinoimidazoline-2-thiones 299

Annulenes, bridged [20]- and [30]- 931

Anti-HIV agents 38

Antimonum, Sb-Se-O system 343

Antimony complexes 177

Antitumor activity 83, 587

Arbuzow reaction 103

Aromatics, number of structures 117

Aroylazide 1149

Arsenic complexes 177

Arylheteroarylphosphinic acid esters

N-Arylmaleimides 1019

Aza, non-carbon cycles 149, 153, 283, 511

Aza-analogue of quinazolinone 1217

Azaaromatic N-vlide 161

Azepinapyrimidobenzoxadiazocindione 1225 Azepinocodeines 909 Azides 1149 Azomethine 893 AZT analogues 55

AZT analogues 55 Benzenoid hydrocarbons 477 Benzhydrazide, 2-hydroxy-, X-ray 867 Benzo-15-crown 689 Benzo[c]thiophene 1195 Benzo[h]quinazolines 167 Benzoquinones 1201 4H-1,4-Benzothiazines 425 Benzothiazoline-2-ones, N-substituted 707 Benzothiazolones 763 1,5-Benzoxazepin-4(5H)-ones, 2,3-dihydro-2-methyl-65 Benzoxazepinedione 783 Benzoxazoline-2-ones, N-substituted 707 Benzovlpyridinecarboxamides 549 Benzylammonium polyvanadates 809 Bi(9,10-dihydro-9,10-ethanoanthryl) 1211 Bi-bridged dimers 23 Bicyclo[4.4.0]decan-3-on, substituted 965 Bile salts 1119 Bilipurpurines 401 Biliviolins 401 Bis(2,2'-bipyridyl)biscyanoiron(II) 877

1,1-Bis(4-hydroxyphenyl)-2-phenylethene, X-ray 1181 2,6-Bis(benzimidazol-2'-yl)pyridine 391,515

8,8'-Bis(diphenylphosphinomethyl)-1,1'-binaphthyl 103

2,2-Bis(trifluoromethyl)-1,3-dioxolan-4-ones 454

2,2-Bis(trifluoromethyl)-1,3-oxazolidin-5-ones 453

Bond properties 287

Boron, hydrogenechloride, HBCl₂ 287

Breast cancer cell line, MDA-MB-231 587

Bridged [20]- and [30]annulenes, X-ray 931 Bridged dimers 23 Bromide solutions 15 Bromination 327 Bromohypericines 77, 1031 2-n-Butoxyethanol 877

Cadmium(II) Schiff base complexes 803

Calculation, MP2, SCF 259 Cancer cell line, breast-, MDA

Cancer cell line, breast-, MDA-MB-231 587

Carbazoles, [b]-annelated, X-ray 559 Carbon-free chelate ring 471

Carboplatin 1077

Carbothioic acid anilides 721

Carcinoma (human mammary) cell lines MDA-MB 231 and MCF-7 83

Cell concentration, critical 1, 465

Cellulose triacetate 441

Cercosporin 431

Cerium ammonium nitrate 959

Cerium(III) formazan chelates 627

Chiroptical properties 65, 217, 441, 1019, 1211

Chromatography, enantioselective on CTA 441

Chromium(III), Schiff base complexes 803

Chromones 539

Chronovoltametry 607

Circular dichroism 65, 441, 1211

Circumscribing 477

Cluster analysis 659

Cobalt arsenate, X-ray 381

Cobalt phosphate, X-ray 381

Cobalt selenate 349

Cobalt spin-crossover complex 391

Cobalt tricarbonyl-triphenylphosphane, silanes 523

Cobalt(II) Schiff base complexes 803

Cobalt(II) oxygen-six octahedron 381

Complexes 7, 109, 135, 157, 177, 243, 259, 267, 355, 391, 421, 467, 471, 493, 515, 587, 627, 637, 647, 681, 703, 739,

793, 803, 809, 849, 877, 981, 995, 1089

Composition-property relations 659 Conductivity, complexes of oxovanadium(IV) 995

Configurational correlation 441, 1211 Conformation 103, 185, 291, 539, 881,

Constitution 1053 Copper selenite 1115

Copper(II) Schiff base complexes 803 Copper(II) complexes 109, 135, 637

Corrosion inhibition 793

Cortex frangulae 339

Coulometry 15, 931

Critical micelle concentration 1, 465

Crown ether, complexes 471

Crown ether, reactions 511 Crown, benzo-15-689

Crystal chemistry 1107

Crystal solvates 981

Crystal structure, s. X-ray

3-Cyano formazans 627

Cyanoacetaldehyde 199

Cyanopyrazoles 199

Cyclic, non-carbon 511

[4+1]-Cycloaddition 959 [2+4]-Cycloaddition 1133

Cycloaddition 161, 1133

Cycloaddition, 1,3-dipolar 1201

Cycloaddition, of chiral nitrones, dipolar 1019

Cyclocondensation, intramolecular 1143

Cyclopentasilane derivatives 1005 20π-Cyclophane 931

Decalinone, stereoselective synthesis, highly substituted 965

Deoxycholate 1119

Desolvation 981

Di(2-ethylhexyl)phosphoric acid 987

Di(n-ocyl)phosphinic acid 987

1,8-Diazabicyclo[5.4.0]undec-7-en 1225

Diazadiphosphetidines 149, 153 Diazaphenanthrene 161

1,2-Dicarbonyl compounds 789

Dichlorobis(cycloalkylamine)platinum(II) complexes, cis/trans 587

2,4-Dichlorophenoxyacetyl-hydrazides 1041

Dichloroplatin(II) complexes 83

(+)-1,5-Dideuterio-9,10-dihydro-9,10-ethanoanthracene 441

Diffusion coefficient 15

Dihydroperylenequinones 431

Diimine heterocyclic bases 127

B-Diketones 1177

Dimeric quinoline derivative 1221

Dimerisation 945

Dimers, bi-bridged 23

Dimers, mono-bridged 23

5,5-Dimethylcyclohexane-2-(2-hydroxyphenyl)-hydrazono-1,3-dione 647

Dimethylformamide 877

3,5-Dimethylpyrazoles 425

3,5-Dimethylpyridines 327

Dimethylsulfoxide 1063

Dinitrogen complexes 739

1,3-Dioxin-4-ones 1133

1,6-Dioxo tautomer 923

7,14-Dioxo tautomer 923

1,3-Dioxolan-4-ones 453

2,5-Dioxomorpholines 453 2,5-Dioxopiperazines 453

Dipivaloylketene 1133

1,3-Dipolar cycloaddition 1201

Dipolar cycloaddition of chiral nitrones 1019

Dissociation, of diimine heterocyclic bases 127

Distribution equilibria of Zn(II) 987

Disulfide, bis(2',3'-dideoxy-nucleosid-3'-yl) 37

Diterpene derivative 71

1,3-Dithia-2-arsa-cyclopentanes 177

1,3-Dithia-2-stiba-cyclopentanes 177

Dithiocarbamate complexes 177

Dithiocarbamate, X-ray 177

Dithiocarboxylation 707

Dithiocinnamates 707

Dithiocrotonates 707

Dna intercalators 559

Double salt 349

Ebullioscope 827

Electrochemical reduction 931

Electron paramagnetic resonance 793

Electron spin resonance 419

Electron transfer vs. electrophilic attack 401

Electron transfer, nonaqueous 493

Electron transfer, photoinduced 209

Electron transition, single 959

Electronic emission 849

Emodin 339

Emodin anthrone 339

Enantioselective chromatography on CTA 441

Enol acetates, of 3-phenylpropiophenones 209

1,2-Epoxypropane 953

Equilibrium, Sb-Se-O 343

Estradiol derivatives 83

Estrogen receptor affinity 1181

Estrogen receptor binding 83

Estrogenic and antiestrogenic activity 1181

9,10-Ethanoanthracene 441

9,10-Ethanoanthryl, Bi(9,10-dihydro) 1211

Ethisterone, X-ray 1169

Exponential distribution 815

Extraction of lanthanides 689

Extraction of selenium 695

Extremal benzenoid 477

Flash vaccum pyrolysis 1133

Fluorescence 77, 881, 923

Fluorodiazadiphosphetidines

149, 153, 283, 511

Force field calculation, vitamin D 185

Force field calculations 431, 751, 923, 1031

Formal potential 607

Formate, reduction with 291

Formylmethylchromones 539

Fragmentation 965

Fungizidal activity 367

Fuzzy-C-means method 659

Gallium, hydrogenechloride HGaCl₂ 287

Gastrointestinal hormone 577

Germanates, X-ray 529

Glasses 659

D-Glucose derived nitrones 1019

Glycodeoxycholate 1119

Guggenheim model 249

Gymnochromes 77, 1031

6-Halo-2-methylbenzoxazoles 367

6-Halobenzoxazolones 367

Halogeno/alkoxo stibanes 827

6-Halotriacetylaminophenols 367

Herpes simplex virus 55

Hetero-Diels-Alder reaction 1133

Heteroannulation 763

Heterocycles 23, 55, 65, 135, 157, 167,

177, 199, 259, 291, 319, 327, 331, 403,

421, 427, 455, 467, 493, 539, 549, 559, 707, 721, 733, 809, 877, 881, 893, 909,

1089, 1143, 1201, 1217, 1221, 1225

Heterocyclic, N,P 149, 153, 283, 511

Heterogeneous solid surfaces 229

Hexafluoroacetone 453

Hexakis(trimethylphosphate)iron(III)

1,4,7,10,13,16-Hexaoxacyclooctadecane 471

High pressure 1083

High spin, low spin equilibrium 515

High temperature thermodynamics 1099

Hofmann degradation of ammonium bases 909

Hofmann elimination 323

Homocysteine derivatives 1071

Homopolymer 419

Hormonal activity 1181

Horner-Emmons reaction 789

Human immunodeficiency virus 37, 55

Human mammary carcinoma cell lines

MDA-MB 231 and MCF-7 83

Human-secretin 577

Hydrates, molton 839

Hydrazides, X-ray 867

Hydrazones 199, 299

Hydrogen bonding 867

1-Hydroperoxy-1,2,-dihydroacenaphthylene, decomposition 331 Hydrothermal synthesis 1107 Hydroxy acids 453

3-Hydroxy dithiocinnamates, X-ray 707

3-hydroxy dithiocrotonates 707

2-Hydroxy-1-naphthaldehyd, Schiff bases of 995

2-Hydroxy-2,3-dihydronaphtho[1,7-bc]pyran 331

Hydroxyethylamino-1,4-quinones

Hydroxyethylaminotoluquinones

3-Hydroxymethylpyrrolidines 323 Hypericin 339, 751, 923

Imidazolium polyvanadates 809 Imidodiphosphinate chelates 471 5H-10,13-Iminoethanophenanthro-[4,5-bcd]furan 909

Indium(I)-In(III)-In system 15 Indolo phenothiazin-6-ones 319

Inorganic rings 471

Instrumentation, MS 1099

Interaction parameters 249

Intercalators, DNA 559

Interconversion barrier 431, 751, 1031 Intramolecular cyclocondensation 1143

Invariants 477

7-Iodo-neopinondimethylacetal 909 Ionic strength 249

Ir spectrophotometry 607

Iron lithium selelenate, X-ray 1107 Iron spin-crossover complex 391

Iron(II), Iron(III) oxidation 493

Iron(III)trimethylphosphate complexes

Iron, dicarbonyl-cyclopentadienyl, silanes 523

Isatin-o-phenylenediamine Schiff base complexes 803

Isohypericin 1031

Isoquinolines 291

Isotropic solids 217

Isoxazolo[4,5-b]-1,4-benzothiazines 425

Kekulé structures 117

Ketene dithioacetals 707

Ketenes, α-oxo 1133

Kinetics 1077, 1149

Knudsen technique 1099

Lanthanide induced shifts 185

Lanthanide ion complexes 647

Lanthanide sulfates, solubility 673

Lanthanide thiocyanate complexes 7

Lanthanides, extraction 689

Lanthanoids, complexes 681

Lanthanum carbonate 1011

Lead(II) Schiff base complexes 803

Ligand exchange 493, 827

Liquid-solid equilibria 839

Liquid-solid interface 229

Lithiation 549

Lithium iron selelenate, X-ray 1107

Lithium selenate 349

Low spin, high spin equilibrium 515

Magnesium selenate 349

Magnetic behaviour, V(IV) 355

Manganese(II) complexes 981

Manganum spin-crossover complex

Manganum(II) Schiff base complexes

Maple calculations 529

Mass spectrometry, Knudsen technique

McMurry reaction 931

MDA-MB-231 breast cancer cell line

Mean amplitudes of vibration 287

Medium effects 127

Metagermanate, X-ray 529

Metal ions, effect on bromination 327

Methylchromones 539

Methylcyclopentasilanes 1005

Methylenebisphosphonates 789

α-Methylhomocysteinelactone 1071

Micelles 1119

Mitsonobu reaction 1217

Molecular modeling 559, 1157

Molten salt hydrates 839

Mono-2-ethylhexylphosphonic acid 2-ethylhexyl ester 987 Monodentate group-15 dithio complex 177 Mordant black 11 945 Morphine derivative 909

Morpholines 453 Morpholino 733 Mp2 259

Naphthazarin 1089 Naphtho[1,8-bc]pyran 331 (Z)-Narceine imide 953 Narceonic acid 953 Natural products, extraction 1083 Neopinondimethylacetal, 7-iodo-909

Nickel complexes 243 Nickel spin-crossover complex 391 Nickel(II) Schiff base complexes 803

Nickel(II) complexes 267

Nitrile oxide 1201 Nitriles 739

Nitriles, unsaturated 721 Nitrogen – P heterocyclic 283

Nitrones, *D*-glucose derived 1019

Nitrones, dipolar cycloaddition of chiral 1019

Nitrophthalideisoquinolines 291 Nitroprusside, determination of 703 Nmr. 2D 1177

-, C-13 77, 167, 783

-, H-1 77, 167, 881, 923, 931

-, N-15 333

-, O-17 71, 1195

Nodusmicin 965, 1157

Non-carbon, cyclic aza- 149, 153

Nonaqueous electron transfer 493 Norethisterone, X-ray 1169

Nuclear Overhauser effect 185

Nucleophilic catalysis 1149

Nucleophilic substitution reactions 283 Nucleosides, 2' 3'-dideoxy-2' 3'-dideoxy

Nucleosides, 2',3'-dideoxy-2',3'-dideoxy 37

Nucleosides, 2',3'-dideoxy-3'-mercapto 37

Nucleosides, 2',3'-dideoxy-3'-methylthio 37

Nucleosides, convergent synthesis 55

Obidoxime 703

Oligosilanes, synthesis, NMR 523

Optical activity, measurement 217

Osazones 299

Oxazepines 65 1,3-Oxazin-4-ones 1133

1,3-Oxazolidin-5-ones 453

1,2-Oxazolines, 4,5-fused 1201

Oxidation, iron(II)-iron(III) 493

Oxime, coordination site 467

2-Oxo-cycloalkano carbothioic acid anilides 721

Oxovanadium complexes 995

Oxygen content in water 277

Oxygen, Sb-Se-O system 343

Palladium complexes 243

Pentacyanopyridine-4-aldoximeferrate(II) ion 467

Pentadecapeptide, NMR 333

Pentaisopropylguanidine 1225

Peptide factors, synthetic 577

Peptide, pentadeca-, NMR 333

Phase diagrams, molten salt hydrates 839

Phase equilibrium, Li-Na-Co-Mg selenate 349

Phase state, Sb-Se-O 343

Phenothiazin-6-ones 319

2-Phenyl-4-aryl-3,4,5,6-tetrahydrobenzo[h]quinazolines 167

1-Phenyl-4-vinyl pyrazole 959

Phenylhydrazinoalkanone phenylhydrazones 299

Phenylhydrazones 299

Phenylosazones 299

Phenylphosphonous acid esters 309

3-Phenylpropiophenones, enol acetates 209

Phospha 283

Phospha, non-carbon cyclic 149, 153, 511

Phosphate-phosphonate rearrangement 1063

Phosphazene heterocycles 471

Phosphinic acid, N,N-dimethylaminoethylesters 309 Phosphinic acid, organo-987

Phosphinoxide derivative, X-ray 103

Phosphite complexes 739

Phosphonate auxiliaries 763

Phosphonate complexes 739

Phosphonate-phosphate rearrangement 1063

Phosphonic acid, organo-987

Phosphonocarbonyl compounds 789

Phosphoric acid, organo- 987

Phosphorus - N heterocyclic 283

Photoaquation 1077

Photochemical chlorination 149

Photoinduced electron transfer 209

Photolysis 209

Photooxygenation 209

Photostability 1169

Phthalideisoquinolines 291

Picolinic acid 607

Piperazines 453

Piperidino 733

Pitzer model 249, 1011

Pka values 77, 881

Platinum complexes 83, 243

Platinum(II) complexes, dichlorobis(cycloalkylamine)- 587

Polarography 135

Poly(5-vinylsalicylidene-2-benzothiazoline) 419

Poly(N,N'-o-phenylenediamine)bis-(cinnamaldehyde) 793

Polybasic oxygen acids 267, 673

Polycomponent system, solubility in 673

Polymer complexes 419, 793

Polysulfido ligands, X-ray 857

Polyvanadates 619, 809

Potassium fluoride / crown ether 511

Potassium rubidium metagermanate, X-ray 529

Potassium tetraphenylimidodiphosphinate 471

Potentiometry 15, 249, 267, 607, 637

Promethium, Sm-SCN complexation 7

Property relation 659

Propylammonium polyvanadates 619

Protonation-deprotonation reactions 135 Pseudohypericin 751

Purine-2,6-diones, 7,8-disubstituted

Putrescine 109

Pyran derivatives 331

Pyrazole water complex 259

Pyrazoles 199, 425

Pyrazolo[3,4-b]pyridines 893

Pyrazolo[3,4-c]isoquinolines 893

Pyridine derivatives, synthesis 721

Pyridine-2,6-dicarboxylic acid 157

3-Pyridine-spiro-2'-cycloalkanone 721

Pyridinecarbonylpyridinecarboxamides 549

Pyridinecarboxamides 549

Pyridinium polyvanadates 809

Pyridinologous linear tri- and tetrapyrroles 881

Pyridopyridazinones 549

Pyrimidines, trifluoromethyl substituted 899

Pyroarsenate, X-ray 381

4-Pyrones 1133

Pyrophosphate, X-ray 381

Pyrrole pigments 401

Pyrroles, pyridinologous linear triand tetra- 881

Pyrrolidines 323

Quinazolines, benzo[h]-167

Quinazolino[3,4-c]-1,2,3,5-benzotetraazepine 733

Quinazolino[3,4-c]-1,3,5-benzotriazepine, 6-bronio-733

Quinazolinone, aza-analogue 1217

Quinoline Reissert compounds 1207

Quinoline-2,4(1*H*, 3*H*)-dione carboxylate, substituted 1225

Quinoline-2-one, dimeric substituted 1221

Quinolines 1207

Radioprotection 1071

Rare earth, complexes 681

Reactivity-selectivity 493

Rearrangement to benzothiophenes 1195

Rearrangement, phosphate-phosphonate 1063

Receptor affinity 1181

Redox equilibria, indium 15

Redox system, silver complexes 607

Redox system, tetrathiaporphycen 931

Reduction 327

Reduction, with ammonium formate 291

Reichard's E_T values 877

Reissert compounds 1207

Reissert epoxides 1207

Reproportionation equilibrium 15

Reverse techniques 333

Rhenium complexes 739, 849

Rhenium-alkyl-polysulfido compounds, X-ray 857

Rheniumcarbonylchloridephosphine 849

Rhodanide, Pr, Sm complexation 7

Ribonucleotides 637

Rotational barrier 1211

Rotational isomers 1041

Rubidium potassium metagermanate, X-ray 529

Saccharinate, vanadyl(IV) 355

Samarium, Pr-SCN complexation 7

Scatchard model 249

SCF 259

Schiff bases, aromatic diamines and 2-hydroxy-1-naphthaldehyd 995

Secretin, human 577

Selectivity-reactivity 493

Selenate 349

Selenate, Li-Fe, X-ray 1107

Selenum, Sb-Se-O system 343

Selenum, extraction 695

Self-similarity 1, 465

Semiempirical calculation (PM3 type)

Seven membered heterocycles 783

Silanes, methylcyclopenta-1005

Silanes, synthesis, NMR 523

Silicium-Si splitting by sodium methoxylate 1005

Sililated amino acid 153

Silver complexes, redox systems 607

Silver selenite 1115

Silver(II)/silver(I) system 607

Single electron transition 959

Small-angle X-ray scattering (SAXS) 815

Sodium bromate 217

Sodium chlorate 217

Sodium selenate 349

Solid state photochemistry 1169

Solid-liquid equilibria 839

Solid-solute phase equilibria 1011

Solubility isotherm 349

Solubility isotherm, Sb-Se-O 343

Solubility product 1115

Solubility, lanthanide sulfates 673

Solubility, lanthanum carbonate 1011

Solution equilibria 1053

Solvated oxovanadium complexes 995

Solvatochromism 877

Solvent effects 127, 515

Solvent extraction, of selenum 695

Solvents 877

Spectroelectrochemistry 931

Spectrophotometric determination 703

Spectrophotometrical analysis 945

Spin-crossover complexes 391, 515

Standard Gibbs energy 1011

Statistics 681

Stereochemistry 71, 431, 441, 751, 1041, 1063

Stereoselective synthesis, highly substituted decalinone 965

Stereoselectivity, of cycloaddition 1019

Steric effects 1149

Stoichiometric constants 249

Structural data base 243

Structure-activity relationship 587

Substituent effects, transmission of 539

Sulfates, lanthanide-, solubility of 673

Supercooled water 277

Supercritical fluid extraction 1083

Supermolecular system organization

Suspension measurement, of optical activity 217

Synthetic peptide factor 577

Tautomers 167, 431, 751, 923, 1031 Temperature dependence 287 Ternary complexes 267

4,5,6,7-Tetrahydrobenzothiazole derivatives 763

Tetraphenylimidodiphosphinate, potassium 471

Tetrathiaporphycen-redox system 931 1*H*-1,2,4,5-Tetrazepin-3-ones 299

Thenoyltrifluoroacetone, extraction with 689

Thermal analysis 793

Thermal behaviour 355

Thermal dissociation 343

Thermochromism 515

Thermodynamic activities 839

Thermodynamics 647, 1099

Thiazepines 65

1,3-Thiazino[2,3-f]purines 1143

Thiobenzhydrazide, 2-hydroxy-, X-ray 867

Thiocarboxamides 763

Thiocyanate lanthanide complexes 7

Thorium(IV)formazan chelates 627

4-Toluoylazide 1149

Transition metal Schiff base complexes 803

Transition metal complexes 391

Transition metal ion complexes 647

Transmission of substituent effects 539

Triazine Schiff bases 135

Tricarbonylchromium complexes 441

Tricyclo[6.2.1.0^{2,7}]undeca-4,9-dienes, 3,6-disubstituted 1157

4-Trifluoromethyl-2-imidazolin-5-ones 899

3,3,3-Trifluoropyruvates 899

Triphenylphosphine ligand 243

2,4,6-Triphenylpyrylium tetrafluoroborate 209

Tris(1,10-phenanthroline)iron(II) 493

Uranium(VI) formazan chelates 627 Uridines, 3'-azido-2',3'-dideoxy 55 Uridines, 3'-fluoro-2',3'-dideoxy 55 Uv-vis 77, 881, 923 L-Valine 249

Vanadyl(IV)saccharinate 355

Vapour diffusion method 1211

Vibrational frequencies 259

Vibrational spectroscopy 287 Vinylidene complexes 739

Vinylphosphonates 789

Vitamin D 185

Voltammetry 931

Watson-Crick mini helix 559

X-ray, 2-Hydroxy-benzhydrazide 867

- -, 2-Hydroxy-thiobenzhydrazide 867
- -, Acetophenone phenylhydrazone-(E) 775
- Bis(4-hydroxyphenyl)-2-phenylethene 1181
- -, Bridged [20]- and [30]annulenes
- -, Carbazoles, [b]-annelated 559
- -, $Co_2(X_2O_7) \cdot 2H_2O$, X = P and As 381
- -, Dithiocarbamate 177
- -, Dithiocinnamates 707
- -, Ethisterone 1169
- -, Hypericin 751
- -, Li-Na-Co-Mg selenate 349
- -, Lithium iron selenate 1107
- -, Norethisterone 1169
- -, Phosphinoxide derivative 103
- -, Rb₂K₂ [(GeO₃)₂] 529
- Rhenium-alkyl-polysulfido compounds 857
- -, Sb-Se-O phase analysis 343

Ylide, azaaromatic 161 Yttrium(III) complexes 681 Yttrium(III) determination 1089

Zig zag chain aromatics 117 Zinc spin-crossover complex 391 Zinc(II) distribution equilibria 987 Zinc(II) Schiff base complexes 803

